

Transfer Racks

An efficient method of collecting and transporting hangers from the sales floor to the stock/backroom.

ISTR-24Z shown
See page 43 for more information.



Storage Racks

High-quality aluminum racks provide sturdy, dependable performance and save space.

Single Starter and Add-on
Hanger Storage Equipment
ISS + ISA's Shown

See pages 40, 44 & 48
for more information.



Hangers are stored in space-saving racks that provide easy access and selection.

Sales Floor Collection Racks

Hangers may be collected under the cash wrap counter or in a freestanding floor rack.

Racks sort and keep hangers organized, improving visual appearance.

Adjustable Under-Counter Rack
See pages 39, 43 & 47 for more
information.



Freestanding Collection Racks

CFR-4024 Shown
See Page 42 for more information.

Lower your operating costs and increase productivity with IRSG's Patented Hanger Management and Processing Systems!



Ergo-Smart™ Processing Work Stations

Designed to increase productivity and provide ergonomic safety.

Ergo Work Tables
See pages 84 - 89 for details.



Rolling Garment Z Rack

Processed goods transport to the sales floor.

Patented Locking Directional Caster allows safer and easier maneuverability throughout the store and reduces ergonomic strain.

Racks nest together when not in use to save valuable storage space.

RGR-550
See Page 74 for details.



Before



After

IRSG'S Patented "Hanger Management" Systems

Eliminate hanger purchases, reduce labor expenses and increase productivity with IRSG's Patented "Hanger Management" Systems.

With over 25 years of experience, IRSG has perfected these systems to deliver measurable benefits.

Benefits Include:

- Reduction of hanger purchases
- Lower labor expenses
- Increases processing productivity
- Improves visual of sales floor
- Moves merchandise to sales floor faster
- Improves ergonomics

Hanger Management Reference Guide

Designed to improve productivity, reduce labor costs, and enhance efficiency, the IRSG Hanger Management System has become the industry standard. Based on the Patented IRSG Hanger Bar, our system is available in 3 different sizes and features equipment to manage hangers throughout the processing cycle. Use the chart below to configure the ideal system for your specific needs.

	21" System	24" System	30" System
Hanger Bars			
Economy Bar	HB-21	HB-24	HB-30
Standard Bar (w/ Clamp)	IHB-2100	IHB-2400	IHB-3000
Specialty Bar (clamp w/ foam)	IHB-2100B	IHB-2400B	IHB-3000B
Sales Floor Collection Racks			
CFR-30 Series	CFR-3021	CFR-3024	CFR-3030
CFR-30 Series (Mobile)	CFR-3021M2, CFR-3021M4	CFR-3024M2, CFR-3024M4	CFR-3030M2, CFR-3030M4
CFR-40 Series	CFR-4021	CFR-4024	CFR-4030
CFR-40 Series (Mobile)	CFR-4021M2, CFR-4021M4	CFR-4024M2, CFR-4024M4	CFR-4030M2, CFR-4030M4
CFR-50 Series (Mobile)	CFR-5021M4	CFR-5024M4	CFR-5030M4
CFR-60 Series (Mobile)	CFR-6021M4	CFR-6024M4	CFR-6030M4
Surface-Mount Counter Racks			
	STG-21	STG-24	STG-30
Collection Racks – Under Counter			
Adjustable Under-Counter Rack	AC2	AC2	AC2
" "	AC3	AC3	AC3
" "	AC4	AC4	AC4
" "	AC5	AC5	AC5
" "	AC6	AC6	AC6
" "	AC7	AC7	AC7
Retractable Rack	HBC-21	HBC-24	HBC-30
Fixed Under-Counter Rack	INC-21C	INC-24C	INC-30C
" "	INC-2124	INC-2424	INC-3024
" "	INC-2130	INC-2430	INC-3030
Channel-Mount Rack	CMRD-21	CMRD-24	CMRD-30
Fixed Uprights Rack	INC-RODS	INC-RODS	INC-RODS
Transfer Equipment			
In-Store Transfer Rack	ISTR-2110Z	ISTR-2410Z	ISTR-3010Z
" "	ISTR-21Z	ISTR-24Z	ISTR-30Z
Over-The-Road Rack	OVR-21	OVR-24	OVR-30
Storage Equipment			
7' Single Storage Starter Rack	ISS-2107	ISS-2407	ISS-3007
7' Single Storage Add-On Rack	ISA-2107	ISA-2407	ISA-3007
10' Single Storage Starter Rack	ISS-2110	ISS-2410	ISS-3010
10' Single Storage Add-On Rack	ISA-2110	ISA-2410	ISA-3010
7' Double Storage Starter Rack	IDS-2107	IDS-2407	IDS-3007
7' Double Storage Add-On Rack	IDA-2107	IDA-2407	IDA-3007
10' Double Storage Starter Rack	IDS-2110	IDS-2410	IDS-3010
10' Double Storage Add-On Rack	IDA-2110	IDA-2410	IDA-3010

Hangers

Hanger Bars

The heart of IRSG's Patented Hanger Management System. Three styles are available to best meet your requirements.



HB-21 Hanger Bar

The economy HB-21 Hanger Bar is used with 21" systems that do not require hangers to be secured to the bar while being transferred.

Model #

HB-21



IHB-2100 Hanger Bar

This is the "Industry Standard" hanger Bar. Use in 21" systems where secure clamping of hangers to the bar is needed.

Model #

IHB-2100



IHB-2100B Hanger Bar

Foam backing on clamp makes this Bar ideal for operations that use hangers of varying neck thickness. Use in 21" systems where secure clamping of hangers to the bar is needed.

Model #

IHB-2100B

Sales Floor

Freestanding Collection

Racks

The CFR Series of Freestanding Collection Racks are ideal for capturing and sorting hangers at the cash wrap and/or to transport full hanger bars to the backroom storage/processing area. Stationary and Mobile configurations are available.

Features:

- 1" Square metal tubing with silver powder coat finish
- Ships K.D. and designed for easy assembly
- Hanger bars sold separately



CFR-3021M2

Capacity: 3 bars
Height: 31 1/4"



CFR-4021M2

Capacity: 5 bars
Height: 42 1/2"



CFR-5021M4

Capacity: 6 bars
Height: 55"
4" Casters Included



CFR-6021M4

Capacity: 8 bars
Height: 66 3/8"
4" Casters Included

Stationary Collection Racks for 21" System

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	Bar Capacity	Hanger per Bar*	Hanger Capacity*
CFR-3021	18 x 22 5/8	457 x 575	29 1/4	743	3	45	135
CFR-4021	18 x 22 5/8	457 x 575	40 1/2	1029	5	45	225
CFR-5021	18 x 22 5/8	457 x 575	51	1295	6	45	270

*Estimates – actual capacity will vary depending on hanger styles. Levelers included.


Mobile Collection Racks for 21" System

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	Casters	Bar Capacity	Hanger per Bar*	Hanger Capacity*
CFR-3021M2	18 x 22 5/8	457 x 575	31 1/4	794	2" Casters (2 Swivel/2 Brake)	3	45	135
CFR-4021M2	18 x 22 5/8	457 x 575	42 1/2	1080	2" Casters (2 Swivel/2 Brake)	5	45	225
CFR-3021M4	18 x 22 5/8	457 x 575	33 1/4	794	4" Caster (2 Swivel/2 Brake)	3	45	135
CFR-4021M4	18 x 22 5/8	457 x 575	44 1/2	1080	4" Casters (2 Swivel/2 Brake)	5	45	225
CFR-5021M4	18 x 22 5/8	457 x 575	55	1399	4" Casters (2 Swivel/2 Brake)	6	45	270
CFR-6021M4	20 x 22 3/4	508 x 578	66 3/8	1686	4" Casters (2 Swivel/2 Brake)	8	45	360

*Estimates – actual capacity will vary depending on hanger styles.

Sales Floor Collection

Cash Wrap Collection Racks



Adjustable Rack

The AC Racks consists of two extruded aluminum uprights, with adjustable hanger bar clips. The cash wrap opening inside clear width must be 21 7/8".

Hanger bars purchased separately (see page 38).

Model #	Height (in)	Height (mm)
AC2	17 1/2	445
AC3	20 1/2	521
AC4	28 3/4	730
AC5	36	914
AC6	43 3/4	1111
AC7	50 3/4	1289



Retractable Rack

The HBC-21 allows for independent, glide-out access to each tier of hangers. Specify 1, 2, 3 or 4 HBC-21 for each opening depending on inside clear height available.

For use with 21" Hanger Bars (purchase separately).

Model #	Width (in)	Width (mm)
HBC-21	21 5/8	551



Fixed Racks

The Fixed Racks consists of an aluminum frame with Hanger Bar clips spaced to allow up to four Hanger Bars. The collection rack mounts to the top side or bottom of the opening.

Model #	Width (in)	Width (mm)	Height (in)	Height (mm)
INC-21C	20 11/16	525	Custom	
INC-2124	20 11/16	525	23 3/4	603
INC-2130	20 11/16	525	29 7/8	762



Channel-Mount Racks

The CMRD-21 consists of upper and lower glides that house an extruded aluminum frame with continuous (every 3") nylon Hanger Bar Clips on the uprights. It is designed for HB-21, IHB-2100 or IHB-2100B Hanger Bars (purchased separately – see page 38). The rack glides in and out for easy access. Built to fit, the inside clear height of the cash wrap opening must be supplied when ordered.

Model #	W x L (in)	W x L (mm)
CMRD-21	18 x 20 11/16	457 x 527

Transfer

In-Store Transfer Racks

Use the In-Store Transfer Rack (ISTR) to collect full hanger bars at the cash wrap and transport to the storage/processing area of the backroom. Also, the ISTR is ideal for mobile backroom storage when wall space is not available for fixed storage racks.

Model #	W x L (in)	W x L (mm)	Height (in)	Height (mm)
ISTR-2110Z	20 x 22 3/8	508 x 571	46	1168
ISTR-21Z	20 x 22 3/8	508 x 571	77	1956



ISTR-2110Z

ISTR-21Z

2 - ISTR-21Z
Nested

Over-the-Road Racks


Use the Over-The-Road-Rack (OVR) to transport full hanger bars to the DC or centralized processing facility. Conversely, return the OVR with empty hanger bars back to the stores. Heavy-duty construction with fold-down bumpers to handle the rigors of transit.

Model #	Width (in)	Width (mm)	Height (in)	Height (mm)
OVR21	23	584	71 3/4	1822



OVR21

Storage Equipment



ISS Single Starter
ISS-2107




ISA Single Add-On
ISA-2107


Single Storage Starters & Add-On Racks

The IRSG Storage Rack System provides the most productive and efficient method of storing full Hanger Bars. Constructed of structural aluminum with continuous "Zytel" nylon hooks, each single column will hold up to 12 full hanger bars. Designed to mount to a wall with the base resting on the floor. Both 7' and 10' heights are available.

Model #	W x L (in)	W x L (mm)	Height (in)	Height (mm)	Bar Capacity	Hangers per Bar	Hanger Capacity
ISS-2107	12 x 23	305 x 584	84	2134	12	45	540
ISA-2107	12 x 21	305 x 533	84	2134	12	45	540
ISS-2110	12 x 23	305 x 584	120	3048	17	45	765
ISA-2110	12 x 21	305 x 533	120	3048	17	45	765



IDS Double Starter
IDS-2107



IDA Double Add-On
IDA-2107

Double Storage Starter & Add-On Racks

Constructed of structural aluminum with continuous "Zytel" nylon hooks, each double column will hold up to 24 full hanger bars. Designed to mount to a wall with the base resting on the floor or freestanding. Both 7' and 10' height available.

Model #	W x L (in)	W x L (mm)	Height (in)	Height (mm)	Bar Capacity	Hangers per Bar	Hanger Capacity
IDS-2107	31 x 23	784 x 584	84	2134	24	45	1080
IDA-2107	31 x 21	784 x 533	84	2134	24	45	1080
IDS-2110	31 x 23	784 x 584	120	3048	34	45	1530
IDA-2110	31 x 21	784 x 533	120	3048	34	45	1530



SB-8



SB-5

Wall-Mount Racks

The SB-5 is designed to hold five Hanger Bars and the SB-8 is designed to hold eight Hanger Bars. When used for backroom hanger storage, these racks are ideal for limited height or "dead space" locations such as above receiving doors, work tables, etc. Multiple columns of storage can be created as each upright is clipped on both sides. The Wall-Mount Rack can be installed at the cash wrap and then used for hanger capture and organization.

Model #	Depth (in)	Depth (mm)	Height (in)	Height (mm)	Bar Capacity	Hangers per Bar
SB-5	19	483	29 1/2	750	5	45
SB-8	19	483	49 7/8	1266	8	45

Accessories



Hanger Picker Bar
Use to retrieve individual hung goods from high locations.

Model #

HPB



Hanger Bar Retriever
Use to place or retrieve full hanger bars from higher storage locations.

Model #

HBR

Processing

Mobile Work Tables



ERGO-32-K10

The Ergo-Smart™ Mobile Work Tables are designed to increase the productivity of the Hanger Management System when processing merchandise. Patented technology allows for easy ergonomic height adjustments and the heavy-duty construction provides years of service.

Available with a wide range of options to enhance processing and save space. See our most popular tables outlined on pages 84 - 89.

Features:

- Adjustable height 35" – 42"
- 4" Non-marring casters, two with brakes
- Square steel-tube construction
- Laminated work surface
- Ships assembled – Simply attach casters

Model #	W x L (in)	W x L (mm)	Height (in)	Height (mm)
ERGO-32-K10	26 x 68	660 x 1727	35 – 42	889 – 1067

Rolling Garment Z-Rack

This super heavy-duty rack is specifically designed for the rigors of retail. The 5" non-marring swivel casters bolt through the frame and allow for a 1,000 lb. load capacity. Racks nest together to save storage space.

Features:

- 14-Gauge steel cross bar
- Safety yellow base
- Ships knocked-down
- Designed for easy assembly
- Additional Z-Racks on pages 73 & 74

Options:

- See page 74



Model #	W x L (in)	W x L (mm)	Overall Height (in) (mm)		Description
RGR-350	24 x 48	610 x 1219	72	1829	4' Z Rack w/ Safety Yellow Base
RGR-550	24 x 62 1/4	610 x 1581	72	1829	5' Z-Rack w/ Safety Yellow Base

RGR-550 w/ Safety Yellow Base and Optional Bottom Shelf – RGR-S

Hangers

Hanger Bars

The heart of IRSG's Patented Hanger Management System. Three styles are available to best meet your requirements.



HB-24 Hanger Bar

The economy HB-24 Hanger Bar is used with 24" systems that do not require hangers to be secured to the bar while being transferred.

Model #

HB-24



IHB-2400 Hanger Bar

This is the "Industry Standard" hanger Bar. Use in 24" systems where secure clamping of hangers to the bar is needed.

Model #

IHB-2400



IHB-2400B Hanger Bar

Foam backing on clamp makes this Bar ideal for operations that use hangers of varying neck thickness. Use in 24" systems where secure clamping of hangers to the bar is needed.

Model #

IHB-2400B

Sales Floor

Freestanding Collection

Racks

The CFR Series of Freestanding Collection Racks are ideal for capturing and sorting hangers at the cash wrap and/or to transport full hanger bars to the backroom storage/processing area. Stationary and Mobile configurations are available.

Features:

- 1" Square metal tubing with silver powder coat finish
- Ships knocked-down
- Designed for easy assembly
- Hanger bars sold separately



CFR-3024M2

Capacity: 3 bars
Height: 31 1/4"



CFR-4024M2

Capacity: 5 bars
Height: 42 1/2"



CFR-5024M4

Capacity: 6 bars
Height: 55"
4" Casters Included



CFR-6024M4

Capacity: 8 bars
Height: 66 3/8"
4" Casters Included

Stationary Collection Racks for 24" System

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	Bar Capacity	Hanger per Bar*	Hanger Capacity*
CFR-3024	18 x 26 1/4	457 x 667	29 1/4	743	3	55	165
CFR-4024	18 x 26 1/4	457 x 667	40 1/2	1029	5	55	275
CFR-5024	18 x 26 1/4	457 x 667	51	1295	6	55	330


Mobile Collection Racks for 24" System

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	Casters	Bar Capacity	Hanger per Bar*	Hanger Capacity*
CFR-3024M2	18 x 26 1/4	457 x 667	31 1/4	743	2" Casters (2 Swivel/2 Brake)	3	55	165
CFR-4024M2	18 x 26 1/4	457 x 667	42 1/2	1029	2" Casters (2 Swivel/2 Brake)	5	55	275
CFR-3024M4	18 x 26 1/4	457 x 667	33 1/4	743	4" Casters (2 Swivel/2 Brake)	3	55	165
CFR-4024M4	18 x 26 1/4	457 x 667	44 1/2	1029	4" Casters (2 Swivel/2 Brake)	5	55	275
CFR-5024M4	18 x 26 1/4	457 x 667	55	1397	4" Casters (2 Swivel/2 Brake)	6	55	330
CFR-6024M4	20 x 26 3/8	508 x 670	66 3/8	1686	5" Casters (2 Swivel/2 Brake)	8	55	440

*Estimates – actual capacity will vary depending on hanger styles.

Sales Floor Collection

Cash Wrap Collection Racks



Adjustable Rack

The AC Racks consists of two extruded aluminum uprights, with adjustable hanger bar clips. The width must be 21 7/8".

Hanger bars purchased separately (see page 42).

Model #	Height (in)	Height (mm)
AC2	17 1/2	445
AC3	20 1/2	521
AC4	28 3/4	730
AC5	36	914
AC6	43 3/4	1111
AC7	50 3/4	1289



Retractable Rack

The HBC-24 allows for independent, glide-out access to each tier of hangers. Specify 1, 2, 3 or 4 HBC-24 for each opening depending on inside clear height available. For use with 24" Hanger Bars (purchase separately).

Model #	Width (in)	Width (mm)
HBC-24	25 1/8	638



Fixed Racks

The Fixed Racks consists of an aluminum frame with Hanger Bar clips spaced to allow up to four Hanger Bars. The collection rack mounts to the top, bottom of sides of the cash wrap opening.

Model #	Width (in)	Width (mm)	Height (in)	Height (mm)
INC-24C	24 3/16	614	Custom	
INC-2424	24 3/16	614	23 3/4	603
INC-2430	24 3/16	614	29 7/8	762



Channel-Mount Racks

The CMRD-24 consists of upper and lower glides that house an extruded aluminum frame with continuous (every 3") nylon Hanger Bar Clips on the uprights. It is designed for HB-24, IHB-2400 or IHB-2400B Hanger Bars (purchased separately – see page 42). The rack glides in and out for easy access. Built to fit, the inside clear height of the cash wrap opening must be supplied when ordered.

Model #	W x L (in)	W x L (mm)
CMRD-24	18 x 24 3/16	457 x 615

Transfer

In-Store Transfer Racks

Use the In-Store Transfer Rack (ISTR) to collect full hanger bars at the cash wrap and transport to the storage/processing area of the backroom. Also, the ISTR is ideal for mobile backroom storage when wall space is not available for fixed storage racks.

Model #	W x L (in)	W x L (mm)	Height (in)	Height (mm)
ISTR-2410Z	20 x 26	508 x 660	46	1168
ISTR-24Z	20 x 26	508 x 660	77	1956



ISTR-2410Z

ISTR-24Z

2 - ISTR-24Z Nested

Over-the-Road Racks


Use the Over-The-Road-Rack (OVRR) to transport full hanger bars to the DC or centralized processing facility. Conversely, return the OVRR with empty hanger bars back to the stores. Heavy-duty construction with fold-down bumpers to handle the rigors of transit.

Model #	Width (in)	Width (mm)	Height (in)	Height (mm)
OVRR24	26	660	71 3/4	1822



OVRR-24

Storage Equipment



ISS Single Starter
ISS-2407




ISA Single Add-On
ISA-2407


Single Storage Starters & Add-On Racks

The IRSG Storage Rack System provides the most productive and efficient method of storing full Hanger Bars. Constructed of structural aluminum with continuous "Zytel" nylon hooks, each single column will hold up to 12 full hanger bars. Designed to mount to a wall with the base resting on the floor. Both 7' and 10' heights are available.

Model #	W x L (in)	W x L (mm)	Height (in)	Height (mm)	Bar Capacity	Hangers per Bar	Hanger Capacity
ISS-2407	12 x 26 1/2	305 x 673	84	2134	12	45	660
ISA-2407	12 x 24 1/2	305 x 622	84	2134	12	45	660
ISS-2410	12 x 26 1/2	305 x 673	120	3048	17	45	935
ISA-2410	12 x 24 1/2	305 x 622	120	3048	17	45	935



IDS Double Starter
IDS-2407



IDA Double Add-On
IDA-2407

Double Storage Starter & Add-On Racks

Constructed of structural aluminum with continuous "Zytel" nylon hooks, each double column will hold up to 24 full hanger bars. Designed to mount to a wall with the base resting on the floor or freestanding. Both 7' and 10' height available.

Model #	W x L (in)	W x L (mm)	Height (in)	Height (mm)	Bar Capacity	Hangers per Bar	Hanger Capacity
IDS-2407	31 x 23	784 x 584	84	2134	24	55	1320
IDA-2407	31 x 21	784 x 533	84	2134	24	55	1320
IDS-2410	31 x 23	784 x 584	120	3048	34	55	1870
IDA-2410	31 x 21	784 x 533	120	3048	34	55	1870



SB-8



SB-5

Wall-Mount Racks

The SB-5 is designed to hold five Hanger Bars and the SB-8 is designed to hold eight Hanger Bars. When used for backroom hanger storage, these racks are ideal for limited height or "dead space" locations such as above receiving doors, work tables, etc. Multiple columns of storage can be created as each upright is clipped on both sides. The Wall-Mount Rack can be installed at the cash wrap and then used for hanger capture and organization.

Model #	Depth (in)	Depth (mm)	Height (in)	Height (mm)	Bar Capacity	Hangers per Bar
SB-5	19	483	29 1/2	750	5	45
SB-8	19	483	49 7/8	1266	8	45

Accessories



Hanger Picker Bar

Use to retrieve individual hung goods from high locations.

Model #

HPB



Hanger Bar Retriever

Use to place or retrieve full hanger bars from higher storage locations.

Model #

HBR

Processing

Mobile Work Tables



ERGO-32-K10

The Ergo-Smart™ Mobile Work Tables are designed to increase the productivity of the Hanger Management System when processing merchandise. Patent-pending technology allows for easy ergonomic height adjustments and the heavy-duty construction provides years of service.

Available with a wide range of options to enhance processing and save space. See our most popular tables outlined on pages 84 - 89.

Features:

- Adjustable height 35" – 42"
- 4" Non-marring casters, two with brakes
- Square steel-tube construction
- Laminated work surface
- Ships assembled – Simply attach casters

Model #	W x L (in)	W x L (mm)	Height (in)	Height (mm)
ERGO-32-K10	26 x 68	660 x 1727	35 – 42	889 – 1067

Rolling Garment Z-Rack

This super heavy-duty rack is specifically designed for the rigors of retail. The 5" non-marring swivel casters bolt through the frame and allow for a 1,000 lb. load capacity. Racks nest together to save storage space.

Features:

- 14-Gauge steel cross bar
- Safety yellow base
- Ships knocked-down
- Designed for easy assembly
- Additional Z-Racks on pages 73 & 74

Options:

- See page 74



Model #	W x L (in)	W x L (mm)	Overall Height (in) (mm)		Description
RGR-350	24 x 48	610 x 1219	72	1829	4' Z Rack w/ Safety Yellow Base
RGR-550	24 x 62 1/4	610 x 1581	72	1829	5' Z-Rack w/ Safety Yellow Base

RGR-550 w/ Safety Yellow Base and Optional Bottom Shelf – RGR-S

Hangers

Hanger Bars

The heart of IRSG's Patented Hanger Management System. Three styles are available to best meet your requirements.



HB-30 Hanger Bar

The economy HB-30 Hanger Bar is used with 30" systems that do not require hangers to be secured to the bar while being transferred.

Model # List Price

HB-30



IHB-3000 Hanger Bar

This is the "Industry Standard" hanger Bar. Use in 30" systems where secure clamping of hangers to the bar is needed.

Model #

IHB-3000



IHB-3000B Hanger Bar

Foam backing on clamp makes this Bar ideal for operations that use hangers of varying neck thickness. Use in 30" systems where secure clamping of hangers to the bar is needed.

Model #

IHB-3000B

Sales Floor

Freestanding Collection

Racks

The CFR Series of Freestanding Collection Racks are ideal for capturing and sorting hangers at the cash wrap and/or to transport full hanger bars to the backroom storage/processing area. Stationary and Mobile configurations are available.

Features:

- 1" Square metal tubing with silver powder coat finish
- Ships knocked-down
- Designed for easy assembly
- Hanger bars sold separately



CFR-3030M2

Capacity: 3 bars
Height: 31 1/4"



CFR-4030M2

Capacity: 5 bars
Height: 42 1/2"



CFR-5030M4

Capacity: 6 bars
Height: 55"
4" Casters Included



CFR-6030M4

Capacity: 8 bars
Height: 66 3/8"
4" Casters Included

Stationary Collection Racks for 30" System

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	Bar Capacity	Hanger per Bar*	Hanger Capacity*
CFR-3030	18 x 31 1/2	457 x 800	29 1/4	743	3	70	210
CFR-4030	18 x 31 1/2	457 x 800	40 1/2	1029	5	70	350
CFR-5030	18 x 31 1/2	457 x 800	51	1295	6	70	420

*Estimates – actual capacity will vary depending on hanger styles. Levelers included.


Mobile Collection Racks for 30" System

Model #	D x W (in)	D x W (mm)	Overall Height (in)	Overall Height (mm)	Casters	Bar Capacity	Hanger per Bar*	Hanger Capacity*
CFR-3030M2	18 x 31 1/2	457 x 800	31 1/4	743	2" Casters (2 Swivel/2 Brake)	3	70	210
CFR-4030M2	18 x 31 1/2	457 x 800	42 1/2	1029	2" Casters (2 Swivel/2 Brake)	5	70	350
CFR-3030M4	18 x 31 1/2	457 x 800	33 1/4	743	4" Casters (2 Swivel/2 Brake)	3	70	210
CFR-4030M4	18 x 31 1/2	457 x 800	44 1/2	1029	4" Casters (2 Swivel/2 Brake)	3	70	350
CFR-5030M4	18 x 31 1/2	457 x 800	55	1397	4" Casters (2 Swivel/2 Brake)	6	70	420
CFR-6030M4	20 x 31 3/8	508 x 797	66 3/8	1686	4" Casters (2 Swivel/2 Brake)	8	70	560

*Estimates – actual capacity will vary depending on hanger styles.

Sales Floor Collection

Cash Wrap Collection Racks



Adjustable Rack

The AC Racks consists of two extruded aluminum uprights, with adjustable hanger bar clips. The width must be 21 7/8".

Hanger bars purchased separately (see page 46).

Model #	Height (in)	Height (mm)
AC2	17 1/2	445
AC3	20 1/2	521
AC4	28 3/4	730
AC5	36	914
AC6	43 3/4	1111
AC7	50 3/4	1289



Retractable Rack

The HBC-30 allows for independent, glide-out access to each tier of hangers. Specify 1, 2, 3 or 4 HBC-30 for each opening depending on inside clear height available. For use with 30" Hanger Bars (purchase separately).

Model #	Width (in)	Width (mm)
HBC-30	30 5/8	778



Fixed Racks

The Fixed Racks consists of an aluminum frame with Hanger Bar clips spaced to allow up to four Hanger Bars. The collection rack mounts to the top side or bottom of the opening.

Model #	Width (in)	Width (mm)	Height (in)	Height (mm)
INC-30C	29 11/16	754	Custom	
INC-3024	29 11/16	754	23 3/4	603
INC-3030	29 11/16	754	29 7/8	762



Channel-Mount Racks

The CMRD-30 consists of upper and lower glides that house an extruded aluminum frame with continuous (every 3") nylon Hanger Bar Clips on the uprights. It is designed for HB-30, IHB-3000 or IHB-3000B Hanger Bars (purchased separately – see page 46). The rack glides in and out for easy access. Built to fit, the inside clear height of the cash wrap opening must be supplied when ordered.

Model #	W x L (in)	W x L (mm)
CMRD-30	18 x 29 11/16	457 x 755

Transfer

In-Store Transfer Racks

Use the In-Store Transfer Rack (ISTR) to collect full hanger bars at the cash wrap and transport to the storage/processing area of the backroom. Also, the ISTR is ideal for mobile backroom storage when wall space is not available for fixed storage racks.

Model #	W x L (in)	W x L (mm)	Height (in)	Height (mm)
ISTR-3010Z	20 x 31 1/4	508 x 794	46	1168
ISTR-30Z	20 x 31 1/4	508 x 794	77	1956



ISTR-3010Z



ISTR-30Z



2 - ISTR-30Z Nested

Over-the-Road Racks


Use the Over-The-Road-Rack (OVR) to transport full hanger bars to the DC or centralized processing facility. Conversely, return the OVR with empty hanger bars back to the stores. Heavy-duty construction with Pink Velour Crape Myrtle fold-down bumpers to handle the rigors of transit.

Model #	Width (in)	Width (mm)	Height (in)	Height (mm)
OVR30	26	660	71 3/4	1822



OVR-30

Storage Equipment



ISS Single Starter
ISS-3007




ISA Single Add-On
ISA-3007


Single Storage Starters & Add-On Racks

The IRSG Storage Rack System provides the most productive and efficient method of storing full Hanger Bars. Constructed of structural aluminum with continuous "Zytel" nylon hooks, each single column will hold up to 12 full hanger bars. Designed to mount to a wall with the base resting on the floor. Both 7' and 10' heights are available.

Model #	W x L (in)	W x L (mm)	Height (in)	Height (mm)	Bar Capacity	Hangers per Bar	Hanger Capacity
ISS-3007	12 x 31 3/4	305 x 806	84	2134	12	70	840
ISA-3007	12 x 29 3/4	305 x 755	84	2134	12	70	840
ISS-3010	12 x 31 3/4	305 x 806	120	3048	17	70	1190
ISA-3010	12 x 29 3/4	305 x 755	120	3048	17	70	1190



IDS Double Starter
IDS-3007



IDA Double Add-On
IDA-3007

Double Storage Starter & Add-On Racks

Constructed of structural aluminum with continuous "Zytel" nylon hooks, each double column will hold up to 34 full hanger bars. Designed to mount to a wall with the base resting on the floor or freestanding. Both 7' and 10' height available.

Model #	W x L (in)	W x L (mm)	Height (in)	Height (mm)	Bar Capacity	Hangers per Bar	Hanger Capacity
IDS-3007	31 x 31 3/4	784 x 806	84	2134	24	70	1680
IDA-3007	31 x 29 3/4	784 x 755	84	2134	24	70	1680
IDS-3010	31 x 31 3/4	784 x 806	120	3048	34	70	2380
IDA-3010	31 x 29 3/4	784 x 755	120	3048	34	70	2380



SB-8



SB-5

Wall-Mount Racks

The SB-5 is designed to hold five Hanger Bars and the SB-8 is designed to hold eight Hanger Bars. When used for backroom hanger storage, these racks are ideal for limited height or "dead space" locations such as above receiving doors, work tables, etc. Multiple columns of storage can be created as each upright is clipped on both sides. The Wall-Mount Rack can be installed at the cash wrap and then used for hanger capture and organization.

Model #	Depth (in)	Depth (mm)	Height (in)	Height (mm)	Bar Capacity	Hangers per Bar
SB-5	19	483	29 1/2	750	5	45
SB-8	19	483	49 7/8	1266	8	45

Accessories



Hanger Picker Bar

Use to retrieve individual hung goods from high locations.

Model #

HPB



Hanger Bar Retriever

Use to place or retrieve full hanger bars from higher storage locations.

Model #

HBR