

Nesting Transporters

These versatile, high-capacity, three-sided transporters are designed to move large amounts of merchandise during replenishment. Shelves fold up to allow transporting of larger items while our directional caster makes steering easy. When the work is done the NT-48, and the larger NT-60, fold and nest, saving valuable space in the backroom.

- Heavy-duty reinforced steel frame
- 5" Non-marring casters (1-directional, 1-total-lock and 2-swivel)
- Load capacity – up to 1,000 lbs.
- Durable powder coat finish
- Six units nest in less than 5' of space
- Optional - 6" casters are available for custom uses
- Ships assembled





NT-48 & NT-60 Transporters

These heavy-duty, three-sided transporters allow for easy loading and unloading while securing product of various sizes. Our Directional caster facilitates ease of steering. Six units can nest in 5' saving valuable backroom space.

Features:

- NT-48: 48"W x 59"H x 28"D
- NT-60: 60"W x 59"H x 28"D
- Heavy-duty reinforced steel frame
- 5" Non-marring caster (1-directional, 1-total-lock and 2-swivel)
- Versatile – shelves fold up to accommodate all sizes of cargo
- Durable powder coat finish
- Ships assembled

Options:

- Super-duty 6" casters are available for custom requirements

3 NT-48 Nested

Model #	W x L (in)	W x L (mm)	Overall Height	
			(in)	(mm)
NT-48	28 x 48	711 x 1219	59	1499
NT-60	28 x 60	711 x 1524	59	1499



NT-48 in Standard 3 Shelf Configuration



NT-48 Shown with top shelf up



NT-48 shown with both shelves up for transporting larger items



Nesting Wire Transporters

The sleek look of wire shelving with the space saving benefits or nestability. These innovative and unique designs come in several finishes and a variety of sizes. Efficiency has never looked so good.

- Three or four shelf models
- Standard wire, reverse mat wire, or solid shelves available
- Load capacity – up to 1,000 lbs.
- Finish in durable chrome, zinc or powder coat finish
- Optional 4" rotating non-marring bumpers
- Ships assembled

Nesting Wire Transporter

IRSG Nesting Wire Transporters are ideal for receiving, transporting and replenishment. Multi-functional and designed to save space and time. Choose from a variety of sizes and options to meet your specific needs.

Features:

- Finished in durable zinc, chrome or powder coat
- Patented “Directional Caster” available (see page 136)
- Load capacity – up to 1,000 lbs
- Comes with 5” non-marring casters
- Optional 4” rotating, non-marring bumpers (see listed below)
- Carts are available with standard, reverse mat shelves, or solid shelves (depending on model)
- Ships assembled



Reverse Mat 4-Shelf Cart shown at a 30-degree tilt.
NT-1848R



NT-1848 Standard 4 Shelf Cart



NT-2448 Standard 4 Shelf Cart



NT-2448R3S Solid 3 Shelf Cart

Model #	W x L (in)	W x L (mm)	Overall Height (in)	Overall Height (mm)	# of Shelves	Style of Shelf
NT-1848	20 x 51 1/2	508 x 1308	70	1178	Four	Standard
NT-1848R	20 x 51 1/2	508 x 1308	70	1178	Four	Reverse Mat
NT-2442Z3	24 x 45 1/2	610 x 1156	56	1422	Three	Standard
NT-2448	24 x 51 1/2	610 x 1308	70	1178	Four	Standard
NT-2448R	24 x 51 1/2	610 x 1308	70	1178	Four	Reverse Mat
NT-2448R3S	24 x 51 1/2	610 x 1308	56	1178	Three	Solid
NT-2460	24 x 63 1/2	610 x 1607	70	1178	Four	Standard



Bumpers – NT-B
Rotating Non-Marring 4” Bumpers. Use to protect doors, walls and fixtures. Set of four.

Model #

NT-B